

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	12679	@ad<"20021030" and (decrypt\$3 near3 key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 14:43
L3	12389	@ad<"20021030" and (decrypt\$3 near3 key) and encrypt\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 14:45
L4	133	@ad<"20021030" and 709/217.ccls. and (decrypt\$3 near3 key) and encrypt\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 14:45
L5	207	@ad<"20021030" and (709/217.ccls. pr 707/204.ccls.) and (decrypt\$3 near3 key) and encrypt\$3 and exchang\$3 and (load or balanc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 14:52
L6	48	@ad<"20021030" and (709/217.ccls. pr 707/204.ccls.) and (decrypt\$3 near3 key) and encrypt\$3 and exchang\$3 and (load or balanc\$3) and ((entir\$3 or complet\$3 or whol\$2 or ful\$2) near3 key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 14:55
L7	35	@ad<"20021030" and (709/217.ccls. pr 707/204.ccls.) and (decrypt\$3 near3 key) and encrypt\$3 and exchang\$3 and (load or balanc\$3) and ((entir\$3 or complet\$3 or whol\$2 or ful\$2) near3 key) and split\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 14:59

L8	1	@ad<"20021030" and (709/217.ccls. pr 707/204.ccls.) and (decrypt\$3 near3 key) and encrypt\$3 and exchang\$3 and (load near3 balanc\$3) and ((entir\$3 or complet\$3 or whol\$2 or ful\$2) near3 key) and split\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:08
L9	5	@ad<"20021030" and ("709"/\$.ccls.) and (decrypt\$3 near3 key) and encrypt\$3 and exchang\$3 and (load near3 balanc\$3) and ((entir\$3 or complet\$3 or whol\$2 or ful\$2) near3 key) and split\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:11
L10	5	@ad<"20021030" and ("709"/\$.ccls.) and (decrypt\$3 near3 key) and encrypt\$3 and exchang\$3 and (load near3 balanc\$3) and ((entir\$3 or complet\$3 or whol\$2 or ful\$2) near3 key) and split\$4 and (client or server or unit or 1st or first or 2nd or second or unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:26
L11	5	@ad<"20021030" and ("709"/\$.ccls.) and (decrypt\$3 near3 key) and encrypt\$3 and exchang\$3 and (load near3 balanc\$3) and ((entir\$3 or complet\$3 or whol\$2 or ful\$2) near3 key) and split\$4 and (client or server or unit or 1st or first or 2nd or second or unit) and ((finish\$3 or done or entir\$3 or complet\$3 or whol\$2 or ful\$2) near3 (content or data or transmi\$5 or document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:27

L12	0	"20050160117" and (decrypt\$3 near3 key) and encrypt\$3 and exchang\$3 and (load near3 balanc\$3) and ((entir\$3 or complet\$3 or whol\$2 or ful\$2) near3 key) and split\$4 and (client or server or unit or 1st or first or 2nd or second or unit) and ((finish\$3 or done or entir\$3 or complet\$3 or whol\$2 or ful\$2) near3 (content or data or transmi\$5 or document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:29
L13	0	"20050160117" and (decrypt\$3 near3 key) and encrypt\$3 and exchang\$3 and (load near3 balanc\$3) and ((entir\$3 or complet\$3 or whol\$2 or ful\$2) near3 key) and split\$4 and (client or server or unit or 1st or first or 2nd or second or unit) and ((finish\$3 or done or entir\$3 or complet\$3 or whol\$2 or ful\$2 or success\$5) near3 (content or data or transmi\$5 or document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:31
L14	5	@ad<"20021030" and ("709"/\$.ccls.) and (decrypt\$3 near3 key) and encrypt\$3 and exchang\$3 and (load near3 balanc\$3) and ((entir\$3 or complet\$3 or whol\$2 or ful\$2) near3 key) and split\$4 and (client or server or unit or 1st or first or 2nd or second or unit) and ((finish\$3 or done or entir\$3 or complet\$3 or whol\$2 or ful\$2 or success\$5) near3 (content or data or transmi\$5 or document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:31

L15	23	@ad<"20021030" and ("7025209" "20010032254" "6343318" "6397259" "6590588") and (decrypt \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:39
L16	9	@ad<"20021030" and (decrypt\$3 near3 key) and encrypt\$3 and exchang\$3 and (load near3 balanc\$3) and ((entir\$3 or complet\$3 or whol\$2 or ful\$2) near3 key) and split\$4 and (client or server or unit or 1st or first or 2nd or second or unit) and ((finish\$3 or done or entir \$3 or complet\$3 or whol \$2 or ful\$2 or success\$5) near3 (content or data or transmi\$5 or document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:44
L17	9	@ad<"20021030" and (decrypt\$3 near3 key) and encrypt\$3 and (load near3 balanc\$3) and ((entir\$3 or complet\$3 or whol\$2 or ful\$2) near3 key) and split\$4 and (client or server or unit or 1st or first or 2nd or second or unit) and ((finish\$3 or done or entir \$3 or complet\$3 or whol \$2 or ful\$2 or success\$5) near3 (content or data or transmi\$5 or document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:55
L18	139	@ad<"20021030" and (decrypt\$3 near3 key) and encrypt\$3 and (load near3 balanc\$3) and split \$4 and (client or server or unit or 1st or first or 2nd or second or unit) and ((finish\$3 or done or entir\$3 or complet\$3 or whol\$2 or ful\$2 or success\$5) near3 (content or data or transmi\$5 or document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:56

11/30/2008 5:14:09 PM

C:\Documents and Settings\mfearer\My Documents\EAST\Workspaces\10500820.wsp